

EXPRESS MAIL - MAIL LABEL NO: EL274019013US

DATE OF DEPOSIT: June 15, 2001

I hereby certify that this paper or fee is being deposited with the United States Postal Service Express Mail Post Office to Addressee service under 37 CFR §1.10 on the date indicated above and is addressed to: Box PATENT APPLICATION, Assistant Commissioner for Patents, Washington, D.C. 20231

John C. Smith, Registration No. 33,284

Printed name of person mailing paper or fee



Signature of person mailing paper or fee

INVENTORS: Henry Pearl
David Michael Sinofsky

APPARATUS AND METHOD FOR STIMULATING HAIR GROWTH

BACKGROUND OF THE INVENTION

Cross-Reference to Related Applications

This application is related to the commonly owned copending application entitled
5 "Apparatus and Method for Stimulating Hair Growth," filed March 6, 2001, bearing U.S.
Ser. No. 60/273,701 and naming Henry Pearl and David Michael Sinofsky, the named

inventors herein, as sole inventors, the contents of which is specifically incorporated by reference herein in its entirety.

Technical Field

5 The present invention relates to a method and apparatus for treating alopecia, hair loss, and loss of hair color (greying). In particular, it relates to a method of treating the scalp or skin of an individual to increase blood flow and general health of the skin to promote the healthier growth of hair and restoration of hair color.

Background Art

10 The loss of hair has traditionally been a problem for a substantial percentage of the population. Whether the problem is alopecia (male pattern baldness) or thinning hair, the individuals affected will generally find this to be distressing and detrimental to their appearance. In addition, the loss of hair will often make individuals appear to be older than they are. For this reason, a variety of attempts have been made to improve an individual's appearance by restoring the appearance of a full head hair.

15 Early attempts to address this problem focused on the use of hair pieces (i.e. toupees or wigs). While these devices provided some degree of success, they have several drawbacks. In particular, they often have an unnatural appearance which allows them to be easily detected, even from a distance, by other individuals. In order to make one of these devices appear to be the natural hair of the wearer, they must be constructed
20 in a fairly expensive manner using real human hair which is matched in color to the individual's remaining hair. Unfortunately, many individuals cannot afford a high quality

hair piece such as this, and settle for a lower quality hair piece fabricated from synthetic fibers.

In addition, hair pieces have the additional drawback that they may be inconvenient to use in situations, such as swimming, where they may become damaged or loosened. In this situation, the individual may be embarrassed due to the failure of the device. It would be desirable to improve the appearance of an individual's hair without having to resort to hair pieces fastened to an individual's head which are expensive and occasionally prone to failure due to environmental circumstances.

Those skilled in the art will recognize that more complicated mechanical solutions such as "hair weaving" exist. These more complicated solutions typically have the same drawbacks and problems as those associated with hair pieces. In addition, they are often more expensive than conventional hair pieces.

Another attempt to address this problem has been to surgically replace missing hair with "hair plugs." This surgical solution overcomes the problems created by the use of hair pieces in that the replacement hair plugs use the real hair of the individual, which results in a perfect color match and a natural appearance. In addition, the individual has no restrictions, such as those discussed above in regard to swimming and other activities, which were discussed in regard to hair pieces. Unfortunately, this method of treating hair loss is expensive, and requires the use of medical professionals for the surgical hair transplant procedure. As a result, this procedure may not be available to a substantial portion of the public due to its high cost. It would be desirable to have a method of facilitating the growth of hair which was economically available to a substantial part of the entire public.

1 In addition to hair pieces and surgical transplants, pharmaceutical products have
also been developed to encourage hair growth. These products can take the form of
ingestible medications or topical skin treatments. The ingestible medications have been
proven to encourage hair growth, but they have several significant drawbacks. In
5 particular, they are typically prescription medications which require the cost and
inconvenience of visiting a physician. In addition, the fact that they are prescription
medications typically means that they will have a higher cost than non-prescription drugs.
Perhaps more important than the issue of cost is the potential side effects of ingestible
drugs. Quite often, the use of this type of ingestible medications may result in serious
10 health side effects, such as damage to the individual's liver, or other internal organs, or
present other serious side effects. It would be desirable to have a method of stimulating
hair growth which did not carry the risks of side effects inherent in ingestible
pharmaceutical medications.

15 Another type of pharmaceutical medication has been the use of topical skin
treatments. This type of medication is often similar to prescription medications with the
same cost disadvantage of ingestible medications. While some are now available as over-
the-counter preparations, they typically have a reduced strength and are less effective
than are their prescription counterparts. In addition, they typically have to be applied
every day to achieve and maintain their desired results. It would be desirable to have an
20 effective low-cost method of stimulating hair growth which did not require potential visits
to a physician, a continuous use of expensive medications, and daily treatments to ensure
results.

25 Progressively, over the last 25 years, mainly in Europe and Asia, scientists have
found that lasers can be used to stimulate hair growth. Devices have been developed
having structures similar to a large floor mounted, or chair mounted, helmet. These

devices contain multiple laser assemblies, and are designed to irradiate the individual's entire scalp and hair with laser energy. It is been found that there are several disadvantages associated with this approach. In particular, these are typically very large and expensive commercial devices which are found in beauty salons and spas. In order to take advantage of them, an individual will go to the establishment for the devices located and pay for treatments on a per treatment basis. Over time, this represents a fairly expensive proposition for the individual, and typically requires a trained operator to be present and to conduct the treatment.

In addition, the helmet-like structure of this device creates an additional disadvantage. Since the device covers the head of the individual, a substantial portion of the laser energy which is intended for application to the individual's scalp is blocked by the hair of the individual, thinning though it may be, which effectively forms a canopy over the individual's scalp. It would be desirable to have an inexpensive method of applying laser treatments which does not require an individual to go to a specific location where large laser devices are used, which does not require the individual to pay every time a laser treatment is taken, and which maximizes the amount of laser energy applied to the scalp while minimizing the amount of laser energy which is blocked by the individual's hair. Likewise, it would be desirable to have a laser treatment device which has a relatively small number of lasers, and which could apply laser energy to the individual's scalp without interference by the individual's hair.

Another problem associated with hair is the loss of hair color (i.e. greying) which has the effect of making an individual appear to be older. Individuals often attempt to treat this problem by dyeing their hair. Unfortunately, this method of treatment has several disadvantages. For example, as was the case with hair pieces, discussed above, it can be difficult to produce the proper hair color which may make it obvious that the hair was

dyed. In addition, the dyed hair tends to fade over time which results in re-appearance of the grey hair and a persistent change in color. Individuals who dye their hair typically have to re-dye their hair periodically. Of course, this represents an ongoing expense and inconvenience to the individual. Further, unless the dying process is performed by a trained individual, the results may be undesirable and unattractive. This further increases the cost of hair dying due to the need to hire a trained professional to perform the process. It would be desirable to have a method of treating loss of hair color without having to have an ongoing expense for dyes, or an ongoing expense for trained professionals to apply the dyes, and an ongoing inconvenience.

While providing several methods of treating alopecia, hair loss, and greying, the prior art has failed to provide an apparatus which is inexpensive to manufacture, has a minimum number of components, minimizes the amount of laser energy blocked by an individual's hair, and can be used without leaving the individual's home or using costly commercial equipment and trained personnel.

SUMMARY OF THE INVENTION

The present invention is a hand-held laser device for stimulating human hair growth. The device is used by the individual and does not require trained personnel to provide a treatment. The device provides laser light to the scalp while simultaneously parting the user's hair to ensure that the laser light contacts the user's scalp. A unique, stepped, beam splitting reflector splits a single laser beam to allow an individual laser to simultaneously provide multiple laser beams which are distributed across a segment of an individual's scalp. The reflector is mechanically aligned with the laser source and has a zigzag structure which mechanically deflects portions of the beam as it passes over the peaks of the reflector. The portions of the laser beam form a line of laser beams that

project toward the user's scalp. Parallel rows of teeth are aligned with a central row of individual laser beams and part the user's hair to form furrows in the user's hair as the device is combed through the user's hair. The furrows create an unobstructed path for the laser beam to reach the scalp of the user. Identical rows of teeth are placed on either side of the line of laser beams to allow the device to be combed through the user's hair in either direction.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1A is a side cutaway view of a preferred embodiment of the invention which illustrate a row of furrow forming teeth extending outward from the device, the laser beam generator, and a zigzag beam splitting reflector.

Figure 1B is an end view of a preferred embodiment of the device which shows opposing furrow forming teeth extending outward from either side of the device.

Figure 1C is a bottom view of a preferred embodiment of the device which illustrates the two opposing rows of furrow forming teeth and the zigzag beam splitting reflector aligned with the opposing rows of furrow forming teeth.

Figure 2A is a bottom view of a preferred embodiment of the device which illustrates the zigzag beam splitting reflector attached to the laser beam generator.

Figure 2B is a side cutaway view of a preferred embodiment of the device in which the single laser beam is shown being split into several portions which are deflected as a parallel line of laser beams.

Figure 3 is a side view of a preferred embodiment of the laser assembling which includes the laser module and the zig-zag beam splitting reflector

Figure 4A is a side perspective view of a preferred embodiment of the zigzag beam splitting reflector.

5 Figure 4B is a bottom view of a preferred embodiment of the zigzag beam splitting reflector.

Figure 4C is an illustration of a preferred embodiment of the arrangement of teeth on the zigzag beam splitting reflector.

Figure 5A is a top perspective view of a preferred embodiment of the device which illustrates the control switches on the top of the device and the furrow forming teeth extending from the bottom of the device.

Figure 5B is an exploded perspective view of a preferred embodiment of the device which illustrates its internal components.

15 Figure 6 is an illustration of a preferred embodiment of the device in which an individual's hair is being furrowed to maximize the amount of laser energy applied to the individual's scalp.

DESCRIPTION OF THE PREFERRED EMBODIMENT

Prior to a detailed discussion of the figures, a general overview of the system will be presented. For ease of discussion, the term "scalp" will be used to describe the

conventional definition which describes the hair covered portion of skin on the user's head, and in addition, any skin surface where hair is desired to be grown (e.g. the beard, etc).

5 It has been found that low-power lasers may be used in a variety of therapeutic applications. For example, low-power lasers are used widely for a variety of cosmetic applications such as skin care, scar reduction, wound healing and the like. In addition, it has also been found that the application of low-power laser light to an individual's scalp will assist the hair's natural ongoing replacement process and improve the scalp's condition.

10 One of several factors associated with the use of lasers to stimulate hair growth is that laser treatments tend to increase scalp blood circulation. In fact, studies have shown that the application of laser energy to the scalp of a user can increase scalp blood circulation by more than fifty percent without significant changes in scalp temperature. This results in the skin receiving a more abundant supply of nutrients, and in turn, the structures in the skin, such as hair follicles, also receive a more abundant supply of nutrients and necessary materials from the body.

15
20 Microscopic studies have shown laser energy increases circulation and oxygenation of the blood to the scalp and hair bulb; removes calcification and blockages around the hair bulb; as well as increases cell replacement or regenerative activity. These factors help hair to improve in fullness, shine, body and elasticity. Problems such as over-oily or dry scalp, dandruff and itchiness can also be reduced. Research on the use of cold beam lasers indicates that application of a cold beam laser to an individual's scalp will normalize metabolism of tissues, improve trophism (blood cell nutrition), and assure a regular sebaceous secretion. Measurements taken from scalps treated by cold laser

indicate that hair bulbs are strengthened, hair growth can be measurably ascertained, and hair color will darken.

The increase in blood flow helps as follows: in the human scalp, the follicles in which the hair grows is attached to the scalp by a structure known as the Papilla. The Papilla provides a path for nutrients in the blood to reach the cells in the hair. The laser treatment described herein improves both the condition of the Papilla itself, as well as the blood flow reaching the Papilla. The unique structure of the handheld device presented herein provides an unobstructed laser path to the Papilla which results in the scalp being bathed in laser light.

Another factor associated with the use of lasers is "energization." Energization can be explained as follows: Light is energy. The use of a laser light on scalp and hair follicles provides high levels of light which are used by the cells in the scalp and hair to assist in the normal chemical processes performed by those cells. The scientifically agreed-upon term for this is photobiostimulation. The most common example of light converting into chemical energy is photosynthesis, where plants are fed via light converted into chemical energy. In a similar way, laser penetrates into soft tissue and increases the action of adenosine triphosphate (ATP), a molecule that is a major carrier of energy from one reaction site to another in all living cells. By doing so, laser light increases the energy available to cells so they take in nutrients faster and get rid of waste products. Because of this benefit, scientists and physicians have been using low level laser over the past 30 years to accelerate wound healing and regenerate tissue.

Yet another factor associated with the use of laser light is known as "vibration." Soft tissue and fluids in our bodies actually vibrate. The vibration occurs within a frequency range similar to that of cold-beam, red-light laser. In fact, one scientific theory

holds that cells are largely dependant for healthy function on an exchange of energy and information with surrounding cells. This is achieved via individual wave systems by which cells communicate through inter-connective plasma by vibration. A cell is in an unhealthy state when its vibrations become irregular or out-of-step with this common communications system. However, it can be brought back into vibratory "harmony" by being irradiated with low level laser working at quantum level.

While the benefits of low-power laser treatments are known, attempts to take advantage of laser technology for the purpose of stimulating hair growth has produced limited results. In particular, when there is existing hair growth on the scalp being treated, as would be the case for individuals with thinning hair who are balding or experiencing alopecia, conventional laser beam devices do not satisfactorily penetrate the hair. As a result of the pre-existing hair blocking the path of the laser beam when it is aimed at the scalp, the effectiveness of the laser treatment is substantially reduced.

Another problem related to prior art laser treatment devices is that they tend to be large devices which are heavy and immobile. As a result, they would usually be found in a salon or clinic where the user would be charged each time the user obtained a treatment. Further, since these devices typically have fixed locations, they would not be available to the user when traveling, and they would be inconvenient to access even when the user was not traveling.

Prior art attempts to provide handheld devices have resulted in many undesirable drawbacks. For example, these devices tend to be large, bulky and complex due to the use of multiple laser modules and/or fiber optics which each produce a laser beam directed at a user's scalp. These devices also are difficult to manufacture due to the need

to align the multiple lasers, or, in the case where fiber optics are used, to convey the laser energy into each fiber-optic by way of a complex lens system.

5 The invention provided herein solves all of the foregoing problems. The invention is a handheld, comb-like device which emits a row of laser beams which are produced by a single laser beam generator and then split into multiple laser beams by a zig-zag shaped reflector. Each laser beam in the row of laser beams has a pair of teeth which are positioned in regard to the laser beam such that as the handheld device is pulled through the individual's hair, one tooth parts the hair in front of the laser beam and the second tooth follows the laser beam holding the hair apart. By moving the hair in this manner, the two rows of teeth function to form furrows in the hair, thereby exposing the scalp of the user to the laser beam. This eliminates interference with the laser beam by the individual's hair and provides more laser energy directly to the scalp of the individual.

10 First, it overcomes the problem caused by pre-existing hair interfering with the laser beams by placing the laser beam generator between two rows of teeth which create "parts" in the user's hair which are aligned with individual laser beams generated by the device. As a result of this aligned parting of the user's hair, the pre-existing hair is moved out of the way of the laser beam and the user's scalp receives the full benefit of the laser treatment.

20 The ability to provide multiple beams from a single laser source is provided by a unique "zig-zag" lens which splits a single laser beam generated from a single laser device into multiple parallel beams. Each beam having a power level substantially similar to adjacent beams due to their generation by a single laser source. Likewise, the use of the zigzag lens has a beam reflector eliminating alignment problems which would be inherent in systems using multiple lasers.

as they move through the user's hair. By parting the hair in front of the laser beam in this manner, the laser beam is able to reach the bottom of the furrow (i.e. the scalp) without interference from the hair. This is a substantial improvement over prior art techniques which used helmet-like structures to direct laser energy directly to the user's head without taking into consideration the fact that most of the laser beam energy would be prevented from reaching the user's scalp by the user's hair.

Figure 1B shows an end view of the device of figure 1A which illustrates that there are two parallel rows of teeth 3 projecting downward from the bottom housing 1. The laser beams project outward from the device between the two rows of teeth 3. Further, they are aligned with the teeth 3 such that the laser beam is projected into the furrow when the handheld device is moved in either direction across the user's scalp.

Figure 1C illustrates a bottom transparent view of the preferred embodiment of figure 1A-B. In this view, the position and alignment of the laser reflector 6 is shown. The laser reflector 6 is placed between the two rows of teeth 3 such that, whether the handheld device is moved forward or backward across the scalp, there is always a tooth 3 available in front of each laser beam to ensure that a furrow is created for each laser beam to reach the scalp. This results in a more effective application of laser energy to the scalp than was heretofore possible in prior art devices.

In addition to being more effective than prior art devices in terms of the actual application of laser energy to the scalp, the embodiment disclosed herein is also superior to prior art devices in that it is extremely lightweight and portable. It can be manufactured such that it is plugged into a wall socket for electrical energy, or alternatively, it can be battery operated to further add to the user's convenience. In

addition, the reflector 6 allows a single laser to be used rather than the multiple lasers used by prior art devices.

In figure 2A, a bottom transparent view of a preferred embodiment of the handheld device is illustrated. For ease of discussion, several items have been eliminated from this figure which is intended to show the relative position of the reflector 6 in relation to a window 10. The window 10 provides a transparent cover for the reflector 6. This allows the reflector 6 to be sealed within the handheld device to protect it from contamination such as dust, water vapor, water, etc.

Figure 2B is a cutaway side view of a preferred embodiment of the invention which shows the path of the laser beam across the zigzag edge of the reflector 6. As the laser beam strikes the various steps of the zigzag edge of the reflector 6, portions of the laser beam are distributed as several reflected beam parts which are reflected downward and out through the window 10 toward the furrows formed in the user's hair by the teeth 3. The zigzag reflector 6 provides a substantial advantage to the user in that, since a single laser beam is used, each reflected beam part will have substantially the same amount of energy. This avoids the situation which could happen if multiple lasers were used to generate individual beams, because a multiple laser system could result in hot spots created by any substantial discrepancies in the output power produced by individual lasers.

Figure 3 illustrates the use of a coupling device 5 to align the laser 8 with the reflector 6. This type of mechanical alignment system substantially enhances the ease of manufacture and allows parts to be interchangeable. Further, it eliminates the substantial alignment problems which would occur in a multiple laser system that require each laser to be individually adjusted during manufacture.

Figure 4A provides more detail concerning the structure of the reflector 6 which is used in the preferred embodiment. To ensure that the maximum amount of energy is deflected in the proper manner, the face 11 on the reflector 6 which is struck by the laser must have a high polish and reflectivity. While the peaks and valleys on the inside of the reflector 6 can be rounded, the peaks and valleys on the outside of the reflector 6 must be sharp to avoid defusing the laser beams.

In figure 4B, a bottom view of the reflector 6 is shown which illustrates the path of the laser beam when it is projected from the laser. The laser beam is directed across the central portion of the reflector 6 to ensure that laser energy is not wasted by projecting some of it past the edge of the reflector 6.

Figure 4C provides more detailed information regarding the structure of the reflector 6. As can be seen in this figure, the zigzag structure of the reflector 6 places steps 13 which are more distant from the laser source at progressively lower elevations such that as the laser beam is projected outward from the laser's lateral path, each step intercepts and deflects a portion of the laser beam. By aligning specific amounts of area to each deflected beam, a uniform distribution of power can be achieved by splitting the single laser beam.

Figure 5A is a perspective view of a preferred embodiment of the handheld device. In this view, the teeth 3 are shown projecting downward from lower housing 1, and control switches 9 are shown located on the upper housing 2.

Figure 5B is an exploded view of the embodiment of figure 5A. In this embodiment, the various components of the system can be seen aligned with one another. The laser 8 is shown attached to a printed circuit board 7 which contains the control

5 circuitry. The printed circuit board 7 is used to align the laser 8 with the coupling 5 that attaches to the reflector 6. By properly fabricating the various components of this device, individual alignment of each unit is unnecessary. As a result, manufacturing costs are substantially reduced. Also shown in this figure are lower housing 1, upper housing 2, teeth 3, switch caps 9, window 4, and associated hardware such as screw 10.

10
15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100
105
110
115
120
125
130
135
140
145
150
155
160
165
170
175
180
185
190
195
200
205
210
215
220
225
230
235
240
245
250
255
260
265
270
275
280
285
290
295
300
305
310
315
320
325
330
335
340
345
350
355
360
365
370
375
380
385
390
395
400
405
410
415
420
425
430
435
440
445
450
455
460
465
470
475
480
485
490
495
500
505
510
515
520
525
530
535
540
545
550
555
560
565
570
575
580
585
590
595
600
605
610
615
620
625
630
635
640
645
650
655
660
665
670
675
680
685
690
695
700
705
710
715
720
725
730
735
740
745
750
755
760
765
770
775
780
785
790
795
800
805
810
815
820
825
830
835
840
845
850
855
860
865
870
875
880
885
890
895
900
905
910
915
920
925
930
935
940
945
950
955
960
965
970
975
980
985
990
995

Figure 6 illustrates how the teeth 3 were used to produce furrows 14 in the individual's hair 16. This figure has a side view illustrating the teeth 3 being pulled through the user's hair 16 while in close proximity to the user's scalp 15. As can be seen, the movement of the teeth 3 through the hair 16 pushes the hair 16 aside to form furrows 14. As the hair forms furrows 14, the scalp 15 between the teeth 3 is exposed. Since the laser beam is aligned between the two opposing teeth for each furrow 14, the laser beam is directed to the surface of the scalp 15 which has been exposed by the furrow 14. The advantage provided by furrowing the hair 16 is that a high percentage of the laser energy is effectively applied to the scalp 15, and the hair 16 is prevented from interfering with the application of laser energy to the scalp 15.

While the invention has been described with respect to a preferred embodiment thereof, it will be understood by those skilled in the art that various changes in detail may be made therein without departing from the spirit, scope, and teaching of the invention. For example, the material used to construct the device may be anything suitable, the size and shape of the device can vary, the type of laser can vary, etc. Accordingly, the invention herein disclosed is to be limited only as specified in the following claims.

We claim: